




Statement of Volatility

Xerox Phaser 6010N



Statement of Volatility

Xerox Phaser 6010N

Notice


This document describes the locations, capacities and contents of volatile and non-volatile memory devices within the Phaser 6010N.

The context of the information in this document is that normal means of access or data extraction are being attempted in order to reproduce, read, or extract stored or latent data. This does not include attempts to reproduce, read or extract data or reverse engineer storage methods by individuals or organizations with advanced skills or through the use of extraordinary resources and measures or specialty equipment not normally available in the industry or to the public.


The content of this document is provided for information purposes only. Performance of the products referenced herein is exclusively subject to the applicable Xerox Corporation terms and conditions of sale and/or lease. Nothing stated in this document constitutes the establishment of any additional agreement or binding obligations between Xerox Corporation and any third party.

Primary Signature Block

This evaluation and summary was completed by:

Signature	
Printed Name	Alfred Brown
Job Title	Software Engineer
Job Function	Software System Engineering
Preparation Date	December 1, 2010

Optional Signature Block

Signature	
Printed Name	Larry Kovnat
Job Title	Product Security Manager
Job Function	Product Security Manager
Preparation Date	December 1, 2010

Copyright 2006, 2008 Xerox Corporation

Copyright protection claimed includes all forms and matters of copyrighted material and information now allowed by statutory or judicial law or hereinafter granted, including without limitation, material generated from the software programs that are displayed on the screen such as styles, templates, icons, screen displays, looks, etc.

XEROX®, The Document Company® and all Xerox product names and product numbers mentioned in this publication are trademarks of XEROX CORPORATION. All non-Xerox brands and product names may be trademarks or registered trademarks of the respective companies, and are hereby acknowledged.

Product appearance, build status and/or specifications are subject to change without notice.

Statement of Volatility

Xerox Phaser 6010N

Introduction

The Xerox ,Phaser 6010N is used to perform the following tasks:

Printing

This document describes the amounts and types of memory contained in the device in an easy to read tabular format. To allow security issues to be addressed as needed, specific commentary has been included about job data and where Personally Identifiable Information (PII) can be found in the system.

For larger Xerox systems that may contain multiple media feeders or multiple finishers, tabulated data is shown even though these devices never contain any job or PII data in electronic form. Also, in larger Xerox systems, another vendor may supply a Digital Front End (DFE) that is connected to the Xerox Print Engine. In these cases, the vendor of the DFE must provide their own Statement of Volatility for the hardware which comprises their additions to Xerox products.

The information contained in this document has been verified at the time the product is released for sale. Manufacturing process changes may require that memory amounts are increased but, the purpose or contents of the memory will not change.

General Memory Information

Volatile Memory

All volatile memory listed is cleared after power is removed (decay occurs generally within 20 seconds at room temperature).

All volatile memory listed is required for normal system operation and during service and diagnostic procedures.

Removal of any volatile memory will void the warranty.

Non-Volatile Memory

All non-volatile memory listed is required for normal system operation and during service and diagnostic procedures.

Removal of any non-volatile memory will void the warranty.

None of the non-volatile memory in the system can be accessed by accidental keystrokes.

Hard Drive Information

The data table below details the hard disk volume and partition information for the Xerox Phaser 6010N.

1st Hard Disk / Partition Description					
Complete this table if the device has media storage capability					
Drive / Partition (System, Image):	Removable Y / N	Size:	User Modifiable: Y / N	Function:	Process to Sanitize:
N/A					
Additional Information:					

2nd Hard Disk / Partition Description					
Complete this table if the device has media storage capability					
Drive / Partition (System, Image):	Removable Y / N	Size:	User Modifiable: Y / N	Function:	Process to Sanitize:
N/A					
Additional Information:					

Statement of Volatility

Xerox Phaser 6010N

System Descriptions

The data tables below detail the information regarding the volatile and non-volatile memory contained in the Phaser 6010N.

Volatile Memory				
Type (SRAM, DRAM, etc)	Size	User Modifiable (Y/N)	Function or Use	Process to Sanitize
DDR	128MB	N	System Memory	Power off

Non-Volatile Memory				
Type (Flash, EEPROM, etc)	Size	User Modifiable (Y/N)	Function or Use	Process to Sanitize
Flash	8MB	N	Embedded Pages	N/A
EEPROM	32KB	N	System Parameter Storage	N/A

Media and Storage					
Complete this table if the device has media storage capability					
Type (disk drives, tape drives, CF/SD/XD memory cards, etc.):	Removable Y / N	Size:	User Modifiable: Y / N	Function:	Process to Sanitize:
N/A					
Additional Information:					

The Xerox Phaser 6010N contains RFID devices. The table below details the location and purpose of each device.

RFID Devices	
Complete an entry for each RFID tag	
RFID Tag location	Purpose
N/A (Wired CRUMs)	

The data table below details the external local access ports available on the Xerox Phaser 6010N.

USB	
Complete an entry for each USB port	
USB port and location	Purpose
Printer Port (type B)	Sending print files to printer