



Notice

This document describes the locations, capacities and contents of volatile and non-volatile memory devices within the Phaser 3320.

The context of the information in this document is that normal means of access or data extraction are being attempted in order to reproduce, read, or extract stored or latent data. This does not include attempts to reproduce, read or extract data or reverse engineer storage methods by individuals or organizations with advanced skills or through the use of extraordinary resources and measures or specialty equipment not normally available in the industry or to the public.

The content of this document is provided for information purposes only. Performance of the products referenced herein is exclusively subject to the applicable Xerox Corporation terms and conditions of sale and/or lease. Nothing stated in this document constitutes the establishment of any additional agreement or binding obligations between Xerox Corporation and any third party.

Primary Signature Block

This evaluation and summary was completed by:

Original Signed By	Mark Bixler
Job Title	Software Systems Engineer
Job Function	Software Systems Engineer
Preparation Date	5/9/2012

Optional Signature Block

Original Signed By	Larry Kovnat
Job Title	Product Security Manager
Job Function	Product Security Manager
Preparation Date	5/9/2012

Copyright 2012 Xerox Corporation

Copyright protection claimed includes all forms and matters of copyrighted material and information now allowed by statutory or judicial law or hereinafter granted, including without limitation, material generated from the software programs that are displayed on the screen such as styles, templates, icons, screen displays, looks, etc. XEROX®, The Document Company® and all Xerox product names and product numbers mentioned in this publication are trademarks of XEROX CORPORATION. All non-Xerox brands and product names may be trademarks or registered trademarks of the respective companies, and are hereby acknowledged. Product appearance, build status and/or specifications are subject to change without notice.

Introduction

The Xerox Phaser 3320 is used to perform the following tasks:

Printing

This document describes the amounts and types of memory contained in the device in an easy to read tabular format. To allow security issues to be addressed as needed, specific commentary has been included about job data and where Personally Identifiable Information (PII) can be found in the system.

For larger Xerox systems that may contain multiple media feeders or multiple finishers, tabulated data is shown even though these devices never contain any job or PII data in electronic form. Also, in larger Xerox systems, another vendor may supply a Digital Front End (DFE) that is connected to the Xerox Print Engine. In these cases, the vendor of the DFE must provide their own Statement of Volatility for the hardware which comprises their additions to Xerox products.

The information contained in this document has been verified at the time the product is released for sale. Manufacturing process changes may require that memory amounts are increased but, the purpose or contents of the memory will not change.

General Memory Information

Volatile Memory

All volatile memory listed is cleared after power is removed (decay occurs generally within 20 seconds at room temperature).

All volatile memory listed is required for normal system operation and during service and diagnostic procedures.

Removal of any volatile memory will void the warranty.

Non-Volatile Memory

All non-volatile memory listed is required for normal system operation and during service and diagnostic procedures.

Removal of any non-volatile memory will void the warranty.

None of the non-volatile memory in the system can be accessed by accidental keystrokes.

Hard Drive Information

The data table below details the hard disk volume and partition information for the Xerox Phaser 3320.

		1st P	artition Descri	iption	
Complete this table if the de	vice has media	a storage	capability		
Partition (System, Image):	Removable Y / N	Size:	User Modifiable: Y / N	Function:	Process to Sanitize:
n/a	n/a	n/a	n/a	n/a	n/a
Additional Information: Device does not have a Hard Disk.					

System Descriptions

The data tables below detail the information regarding the volatile and non-volatile memory contained in the Phaser 3320.

Volatile Memory				
Type (SRAM, DRAM, etc)	Size	User Modifiable (Y/N)	Function or Use	Process to Sanitize
DDR2-SDRAM	128/384 MB	Expandable to 384 MB	Buffer for Printing, System Working Memory Area	Remove power

Non-Volatile Memory				
Type (Flash, EEPROM, etc)	Size	User Modifiable (Y/N)	Function or Use	Process to Sanitize
Serial Flash	16 MB	No	Operating System, PDL Interpreters, Fonts, MIB, Code used for scheduling the marking of jobs, Firmware Upgrades	None – No PII
EEPROM	32 KB Wired / 64 KB Wireless	No	Wired/Wireless Network info, Other System Data	None – No PII

		Мес	lia and Storage		
Type (disk drives, tape drives, CF/SD/XD memory cards, etc.):	Removable Y / N	Size:	User Modifiable: Y / N	Function:	Process to Sanitize:
n/a	n/a	n/a	n/a	n/a	n/α
Additional Information:	·		·	·	

	RFID Devices
RFID Tag location	Purpose
n/a	n/a

The data table below details the external local access ports available on the Xerox Phaser 3320.

USB			
USB port and location	Purpose		
USB Target port at rear left side of device	Print from client via USB cable		
Additional Information: Device does not have a USB Host Port. USB Target port can be disabled via CentreWare Internet Services and MIB.			