

# Xerox Security Bulletin XRX20-013

Xerox® FreeFlow® Print Server v2 / Windows® 10

## Supports:

- Xerox® iGen®5 Press
- Xerox® Baltoro™ HF Production Inkjet Press
- Xerox® Brenva™ HD Production Inkjet Press

**Deliverable:** July 2020 Security Patch Update

**Includes:** Java 8 Update 072020

**Bulletin Date:** August 6, 2020

## 1.0 Background

Microsoft® responds to US CERT advisory council notifications of Security vulnerabilities referred to as Common Vulnerabilities and Exposures (CVE's) and develops patches that remediate the Security vulnerabilities that are applicable to Windows® 10 and components (e.g., Windows® Explorer®, .Net Framework®, etc.). The FreeFlow® Print Server organization has a dedicated development team, which actively review the US CERT advisory council CVE notifications, and delivers Security patch updates from Microsoft® to remediate the threat of these Security risks for the FreeFlow® Print Server v2 / Windows® v10 (supporting the Integrated and Standalone platforms)

The FreeFlow® Print Server organization delivers Security Patch Updates on the FreeFlow® Print Server v2 / Windows® v10 platform by the FreeFlow® Print Server organization on a quarterly (i.e., 4 times a year) basis. The FreeFlow® Print Server engineering team receives new patch updates in January, April, July and October, and will test them for supported Printer products (such as iGen®5 printers) prior to delivery for customer install.

Xerox tests FreeFlow® Print Server operations with the patch updates to ensure there are no software issues prior to installing them at a customer location. Alternatively, a customer can use Windows® Update to install patch updates directly from Microsoft®. If the customer manages their own patch install, the Xerox support team can suggest options to minimize the risk of FreeFlow® Print Server operation problems that could result from patch updates.

This bulletin announces the availability of the following:

1. **July 2020 Security Patch Update**
  - This supersedes the July 2020 Security Patch Cluster
2. **Java 8 Update 072020 Software**
  - This supersedes Java 8 Update 251 Software
3. **Firefox v78.0.2 Software**
  - This supersedes Firefox v75.0

See the US-CERT Common Vulnerability Exposures (CVE) list for Java 8 Update 072020 software below:

Java 8 Update 072020 Software Remediated US-CERT CVE's				
CVE-2020-14556	CVE-2020-14573	CVE-2020-14578	CVE-2020-14581	CVE-2020-14593
CVE-2020-14562	CVE-2020-14577	CVE-2020-14579	CVE-2020-14583	CVE-2020-14621

See US-CERT Common Vulnerability Exposures (CVE) for the July 2020 Security Patch Update in table below:

July 2020 Security Patch Cluster Remediated US-CERT CVE's					
CVE-2018-12126	CVE-2019-0795	CVE-2019-0851	CVE-2020-1351	CVE-2020-1388	CVE-2020-1413
CVE-2018-12127	CVE-2019-0796	CVE-2019-0853	CVE-2020-1352	CVE-2020-1389	CVE-2020-1419
CVE-2018-12130	CVE-2019-0802	CVE-2019-0856	CVE-2020-1353	CVE-2020-1390	CVE-2020-1420
CVE-2018-15982	CVE-2019-0803	CVE-2019-0859	CVE-2020-1354	CVE-2020-1393	CVE-2020-1421
CVE-2018-4878	CVE-2019-0805	CVE-2019-0860	CVE-2020-1356	CVE-2020-1395	CVE-2020-1427
CVE-2018-8174	CVE-2019-0806	CVE-2019-0861	CVE-2020-1357	CVE-2020-1396	CVE-2020-1428
CVE-2019-0685	CVE-2019-0810	CVE-2019-0862	CVE-2020-1358	CVE-2020-1397	CVE-2020-1429
CVE-2019-0688	CVE-2019-0812	CVE-2019-0877	CVE-2020-1359	CVE-2020-1398	CVE-2020-1430
CVE-2019-0730	CVE-2019-0814	CVE-2019-0879	CVE-2020-1360	CVE-2020-1399	CVE-2020-1432
CVE-2019-0731	CVE-2019-0829	CVE-2019-11091	CVE-2020-1361	CVE-2020-1400	CVE-2020-1433
CVE-2019-0732	CVE-2019-0835	CVE-2019-7096	CVE-2020-1362	CVE-2020-1401	CVE-2020-1434
CVE-2019-0735	CVE-2019-0836	CVE-2020-1036	CVE-2020-1364	CVE-2020-1402	CVE-2020-1435
CVE-2019-0739	CVE-2019-0838	CVE-2020-1085	CVE-2020-1365	CVE-2020-1403	CVE-2020-1436
CVE-2019-0752	CVE-2019-0839	CVE-2020-1147	CVE-2020-1368	CVE-2020-1404	CVE-2020-1437
CVE-2019-0753	CVE-2019-0842	CVE-2020-1249	CVE-2020-1369	CVE-2020-1406	CVE-2020-1438
CVE-2019-0764	CVE-2019-0844	CVE-2020-1267	CVE-2020-1370	CVE-2020-1407	CVE-2020-1462
CVE-2019-0790	CVE-2019-0845	CVE-2020-1333	CVE-2020-1371	CVE-2020-1408	CVE-2020-1463
CVE-2019-0791	CVE-2019-0846	CVE-2020-1336	CVE-2020-1373	CVE-2020-1409	CVE-2020-1468
CVE-2019-0792	CVE-2019-0847	CVE-2020-1344	CVE-2020-1374	CVE-2020-1410	CVE-2020-9633
CVE-2019-0793	CVE-2019-0848	CVE-2020-1346	CVE-2020-1384	CVE-2020-1411	
CVE-2019-0794	CVE-2019-0849	CVE-2020-1350	CVE-2020-1385	CVE-2020-1412	

See the US-CERT Common Vulnerability Exposures (CVE) list for the Firefox v78.0.2 software below:

Firefox v78.0.2 Software Remediated US-CERT CVE's					
CVE-2020-12387	CVE-2020-12393	CVE-2020-12405	CVE-2020-12411	CVE-2020-12420	CVE-2020-12426
CVE-2020-12388	CVE-2020-12394	CVE-2020-12406	CVE-2020-12415	CVE-2020-12421	CVE-2020-15648
CVE-2020-12389	CVE-2020-12395	CVE-2020-12407	CVE-2020-12416	CVE-2020-12422	CVE-2020-6831
CVE-2020-12390	CVE-2020-12396	CVE-2020-12408	CVE-2020-12417	CVE-2020-12423	
CVE-2020-12391	CVE-2020-12399	CVE-2020-12409	CVE-2020-12418	CVE-2020-12424	
CVE-2020-12392	CVE-2020-12402	CVE-2020-12410	CVE-2020-12419	CVE-2020-12425	

**Note:** Xerox recommends that customers evaluate their security needs periodically and if they need Security patches to address the above CVE issues, schedule an activity with their Xerox Service team to install this announced Security Patch Update. The customer can manage their own Security Patch Updates using Windows® Update services, but we recommend checking with Xerox Service to reduce risk of installing patches that have not been tested by Xerox.

## 2.0 Applicability

This July 2020 Security Patch Update (including Java 8 Update 072020 software, and Firefox v78.0.2 Patches) is available for the FreeFlow® Print Server v2 Software Release running on Windows® v10 OS. The FreeFlow® Print Server software releases tested with the July 2020 Security Patch Update installed per printer products is illustrated below:

Printer Products	Patch Update Tested Releases
iGen®5 Press	CP.24.0.18201.0
Baltoro™ HF Inkjet	CP.24.0.19114.0
Brenva™ HD Inkjet	CP.24.0.19119.0

All of the listed printer products were tested with each of the releases listed.

### 2.1 Available Patch Update Install Methods

Xerox offers the Security Patch Update delivery available over the network from a Xerox server using an application called FreeFlow® Print Server Update Manager. The use of Update Manager (GUI-based application) makes it simple for a customer to install Security patch updates. Downloading and installing Security Patch Updates using the Update Manager has the advantage of “ease of use” as it involves accessing the Security Patch Update from a Xerox Server over the network.

In addition, the FreeFlow® Print Server Security Patch Update is available for a delivery method using media (USB) for the install. The FreeFlow® Print Server customer schedules a Xerox Analyst or Service Engineer (CSE) to install the Security Patch Update at the customer account. The Analyst/CSE can choose to work with a customer and allow them to install the Security Patch Updates from USB media.

A customer can also manage Security Patch Updates from a Microsoft® server on their own using Windows® Update service built into the Operating System. This is a GUI-based application used to schedule automatic patch updates, or to perform manual updates selecting a ‘**Check for Updates**’ option. This method has the advantage of retrieving Security patches at the soonest time possible. It also has the most risk given the install of these Security patches directly from Microsoft® untested on the FreeFlow® Print Server platform by Xerox.

### 2.2 Security Considerations

Security of the network, devices and information on a customer network may be a consideration when deciding whether to use the USB, FreeFlow® Print Server Update Manager or Windows® Update method of Security Patch Update delivery and install. When using Update Manager, the external Xerox server that includes the Security Patch Update does not have access to the FreeFlow® Print Server platform at a customer site.

The FreeFlow® Print Server platform (using Update Manager) initiates all communication to download the FreeFlow® Print Server Security Patch Update, and the communication is “secure” by TLS 1.2 over HTTPS (port 443) with the Xerox communication server. This communication uses an RSA 2048-bit certificate, SHA2 hash and AES 256-bit stream encryption algorithms. This connection ensures authentication of the FreeFlow® Print Server platform for the Xerox server, and sets up encrypted communication of the patch data. The Xerox server does not initiate or have access to the FreeFlow® Print Server platform behind the customer firewall. The Xerox server and FreeFlow® Print Server system both authenticate each other before making a connection between the two endpoints, and patch data transfer.

**Note:** The FFPS Security profile must be set to “High” for TLS 1.2 to be enable. A custom Security profile can be created from the ‘Low’ or “Medium” profiles then updated to enable TLS 1.2 and disable TLS 1.0.

Delivery and install of the Security Patch Update using Update Manager may still be a concern for some highly “secure” customer locations such as US Federal and State Government sites. Alternatively, delivery and install of Security Patch Updates from USB media may be more desirable for these highly Security sensitive customers. They can perform a Security scan of the USB media with a virus protection application prior to install. If the customer does not allow use of USB media for devices on their network, you can transfer (using SMB, SFTP, or SCP) the Security Patch Update to the FreeFlow® Print Server platform, and then install.

## 3.0 Patch Install

Xerox strives to deliver these critical Security Patch Updates in a timely manner. The customer process to obtain FreeFlow® Print Server Security Patch Updates (delivered on a quarterly basis) is to contact the Xerox hotline support number. The methods of Security Patch Update delivery and install are over the network using FreeFlow® Print Server Update Manager or directly from Microsoft® using Windows® Update service, and using media (i.e., USB).

We recommend the customer use the FreeFlow® Print Server Update Manager or Microsoft® Windows® Update method if they wish to perform install on their own. This empowers the customer to have the option of installing these patch updates as soon as they become available, and not need to rely on the Xerox Service team. Many customers do not want the responsibility of installing the quarterly Security Patch Update or they are not comfortable providing a network tunnel to the Xerox or Microsoft® servers that store the Security Patch Update. In this case, the media install method is the best option under those circumstances.

### 3.1 Update Manager Delivery

The Update Manager is a GUI tool on the FreeFlow® Print Server platform used to check for Security updates, download Security updates, and install Security updates. The customer can install quarterly FreeFlow® Print Server Security Patch Updates using the Update Manager UI, or schedule Xerox Service to perform the install.

Once the Security patches are ready for customer delivery, they are available from the Xerox Edge Host and Download servers. Procedures are available for the FreeFlow® Print Server System Administrator or Xerox Service for using the Update Manager GUI to download and install the Security patches over the Internet. The Update Manager UI has a **'Check for Updates'** button that can be selected to retrieve and list patch updates available from the Xerox patch server. When this option is selected the latest Security Patch Update should be listed (E.g., **July 2020 Security Patch Update for FFPS v2 / Windows 10**) as available for download and install. The Update Manager UI includes mouse selectable buttons to download and then install the patches.

Xerox uploads the FreeFlow® Print Server Security Patch Update to a Xerox patch server that is available on the Internet outside of the Xerox Corporate network once the deliverable has been tested and approved. Once in place on the Xerox server, a CSE/Analyst or the customer can use the Update Manager UI to download and install on the FreeFlow® Print Server platform.

The customer proxy information is required to be setup on the FreeFlow® Print Server platform so it can access to the Security Patch Update over the Internet. The FreeFlow® Print Server platform initiates a "secure" communication session with the Xerox patch server using HTTP over the TSL 1.0 protocol (HTTPS on port 443) using an RSA 2048-bit certificate, SHA2 hash and AES 256-bit stream encryption algorithms.

This connection ensures authentication of the FreeFlow® Print Server platform for the Xerox server, and sets up encrypted communication of the patch data. The Xerox server does not initiate or have access to the FreeFlow® Print Server platform behind the customer firewall. The Xerox server and FreeFlow® Print Server system both authenticate each other before making a connection between the two endpoints, and patch data transfer.

### 3.2 USB Media Delivery

Xerox uploads the FreeFlow® Print Server Security Patch Update to a "secure" SFTP site that is available to the Xerox Analyst and Service once the deliverables have been tested and approved. The FreeFlow® Print Server patch deliverables are available as a ZIP archive, and a script used to perform the install. The Security Patch Update installs by executing a script and installs on top of a pre-installed FreeFlow® Print Server software release. The install script includes options to install the Security Patch Update directly from USB media or from the FreeFlow® Print Server internal hard disk. A PDF document is available with procedures to install the Security Patch Update using the USB media delivery method upon request.

If the Analyst supports their customer performing the Security Patch Update, then they must provide the customer with the Security Patch Update install document and the Security update deliverables. This method of Security Patch Update install is not as convenient or simple for customer install as the network install methods offered by Update Manger.

See the Security Patch Update deliverable filenames and sizes in the table below:

Security Patch File	Windows® Size (K-bytes)	Size in Bytes
FFPSv2-Win10_SecPatchUpdate_Jul2020.zip	3,261,959	3,340,345,509
FFPSv2-Win10_SecPatchUpdate_Jul2020.iso	3,262,310	3,340,605,440

### 3.3 Windows® Update Delivery

Windows® Update services enables information technology administrators to deploy the latest Microsoft® product updates to computers that are running the Windows® operating system. By using Windows® Update service, administrators can fully manage the distribution of updates released through Microsoft® Update to FreeFlow® Print Server platforms on their network.

Microsoft® uploads the Patch Updates to a server that is available on the Internet outside of the Microsoft® Corporate network once patch deliverables have been tested and approved. Installing the Security patches directly from Microsoft® using the Windows® Update service brings some risk given they have not been tested by Xerox on the FreeFlow® Print Server platform. It is required that the customer proxy server information be configured on the FreeFlow® Print Server platform so that the Windows® Update service can gain access to the Microsoft® server over the Internet outside of the customer network. Xerox is not responsible for the Security of the connection to the Microsoft® patch server.

We recommend manually performing a FreeFlow® Print Server System Backup and a Windows® Restore Point backup just prior to checking for the Windows® patch updates and installing them. This will give assurance of FreeFlow® Print Server system recovery if the installed Security patches create a software problem or results in the FreeFlow® Print Server software becoming inoperable. The Security Patch Update makes changes to only the Windows® 10 OS system, and not the FreeFlow® Print Server software. Therefore, the restore of a Windows® Restore Point (prior to patch install) will reverse install of the Security Patch Update if recovery is required and is much faster than the full FreeFlow® Print Server System Restore. We recommend performing a full FreeFlow® Print Server System Backup for redundancy purposes in case the checkpoint restore does not work. The only option for FreeFlow® Print Server system recovery may be the FreeFlow® Print Server System Backup if the system should become inoperable such that Windows® is not stable. Make sure to store the FreeFlow® Print Server System backup onto a remote storage location or USB media.

### 4.0 Disclaimer

The information provided in this Xerox Product Response is provided "as is" without warranty of any kind. Xerox Corporation disclaims all warranties, either express or implied, including the warranties of merchantability and fitness for a particular purpose. In no event shall Xerox Corporation be liable for any damages whatsoever resulting from user's use or disregard of the information provided in this Xerox Product Response including direct, indirect, incidental, consequential, loss of business profits or special damages, even if Xerox Corporation has been advised of the possibility of such damages. Some states do not allow the exclusion or limitation of liability for consequential damages so the foregoing limitation may not apply.